

2013 CATALOGUE

SunSun Lighting China Co., Ltd.

7th Floor, Bld 2, No. 17 Tulip Road
Yuhuatai District, Nanjing City
Jiangsu Province, China

Wujin Assembly Factory

No. 7 Fengyang Road
Wujin District
Changzhou City
Jiangsu Province, China

Liyang Packaging Factory

Building G of the Kechuang Center
No. 168 Wusheng Road, Liyang City Jiangsu
Province, China



SUNSUN
LIGHTING

2013 CATALOGUE

Tel: 86-25-68516900
Fax: 86-25-68516919
E-mail: info@sunsunlighting.com

SUNSUN LIGHTING

Welcome to visit our official website
www.sunsunlighting.com



www.sunsunlighting.com



COMPANY INTRODUCTION

SunSun Lighting is an innovative company involved in R&D, manufacturing and popularization of LED lighting. Relying on independent and leading technologies of LED driving and system integration, powerful research and development strength and abundant international venture investment as well as low-cost advantage from vertical integration of the whole industrial chain, the company endeavors to promote revolution in solid-state lighting and truly bring the LED lighting to every family so as to thoroughly transform human's lighting patterns at last.

SunSun Lighting's manufacturing park is located in Changzhou, Jiangsu Province, covering an area of 330,000 square meters, where the annual output of LED bulbs reaches over 10 million pieces. Its production is managed strictly according to standards of international quality management system and international environmental management system. Its product lines cover residential lighting, commercial lighting, industrial lighting and outdoor lighting, all passing the certification of UL and the CE safety certification of the EU.

SunSun Lighting owns the world's top technical team. It originates the PowerXplore™ driving solution with the proprietary intellectual property rights, obtains many international patents for the LED system integration and considerably enhances LED lighting efficiency, AC-DC conversion efficiency and power factors. SunSun has been approved for over forty domestic and foreign patents, covering every aspects of power supply, packaging and structure, among which 50% patents are invention patents.

"Drive Efficient Light", SunSun Lighting is looking forward to creating magnificent future for solid-state lighting industry together with global cooperative partners.

FACTORY





Wujin Assembly Factory

Production Area: 11,000m²
Office: 2,200m²
Number of workers: 600

Product	Annual Capacity (pcs)
---------	-----------------------

LED A19	
LED MR16	10M
LED Par Lamp	
LED Tube	2M
LED Downlight	1M
LED Desk Lamp	100K



Liyang Packaging Factory

Production Area: 8,200m²
Number of workers: 300

Product	Monthly Capacity (pcs)
---------	------------------------

COB 7W	1.5M
COB 5W	2.2M



CERTIFICATE

CONTENTS

HOME
Lighting Solution

- 03 - 08 LED Bulb Series
- 09 - 10 LED Desk Lamp Series

OFFICE
Lighting Solution

- 15 - 18 LED Linear Tube Series

RETAIL
Lighting Solution

- 23 - 24 LED Downlight Series
- 25 LED Track Light
- 26 - 27 LED MR16 Series
- 28 LED GU10

HOTEL
Lighting Solution

- 33 - 36 LED Par Lamp Series
- 37 - 38 LED BR Lamp Series
- 39 LED Grille Spotlight Series
- 40 LED Ceiling Lamp

PRODUCT CATALOG ver 1.6


HOME

LIGHTING
SOLUTION

03-08 LED BULB
SERIES

09-10 LED DESK LAMP
SERIES





6.5W LED A19

- Empowered by the PowerXplore™ technology perfectly engines mainstream LED chips
- Thin & light design achieves high performance and low cost
- Energy saving up to 85%, PF>0.92
- Mercury free, no UV no radiation
- Smooth dimming with regular dimmers
- Life warranty- 25,000hrs at L70



Model	Wattage	Beam Angle	Lumens	Efficacy	CRI	CCT	Base	Life	Dimmable
SXA065A12-0114	6.5W	130°	400lm	62	90	2700K	E26 / E27	25000h	Yes
SXA065A12-0023	6.5W	130°	450lm	70	80	3000K	E26 / E27	25000h	Yes
SXA065A12-0024	6.5W	130°	540lm	83	70	5000K	E26 / E27	25000h	Yes



Replaces 40W



Dimmable



Energy Saving





Open Lamps



No UV/IR Radiation




Life 25,000 hrs




Packing Info

10pcs / inner caton 60pcs / outer caton



6.5W LED A19 Dedicated Bulb for Downlight



- Custom designed for recessed downlight
- Providing unique uniform illumination
- Widely used in shops, offices and homes
- Easy retrofit and low maintenance cost



Model	Wattage	Beam Angle	Lumens	Efficacy	CRI	CCT	Base	Life	Dimmable
SXA065A12-0201	6.5W	130°	400lm	62	90	2700K	E26 / E27	25000h	Yes
SXA065A12-0202	6.5W	130°	450lm	70	80	3000K	E26 / E27	25000h	Yes
SXA065A12-0203	6.5W	130°	540lm	83	70	5000K	E26 / E27	25000h	Yes



Replaces 40W



Dimmable



Energy Saving





Open Lamps



No UV/IR Radiation



Life 25,000 hrs



Packing Info

10pcs / inner caton 60pcs / outer caton



Lighting in 2.5" Downlight-cup



Warm / Cool White



9.5W LED A19

- Empowered by the PowerXplore™ technology perfectly engines mainstream LED chips
- Energy saving up to 85%, PF>0.92
- Mercury free, no UV no radiation
- Smooth dimming with regular dimmers
- Life warranty- 25,000hrs at L70

Model	Wattage	Beam Angle	Lumens	Efficacy	CRI	CCT	Base	Life	Dimmable
SXA095A12-0097	9.5W	130°	770lm	81	90	2700K	E26 / E27	25000h	Yes
SXA095A12-0038	9.5W	130°	810lm	85	80	3000K	E26 / E27	25000h	Yes
SXA095A12-0041	9.5W	130°	970lm	102	70	5000K	E26 / E27	25000h	Yes



Replaces 60W



Dimmable



Energy Saving





Open Lamps



No UV/IR Radiation



Life 25,000 hrs




Packing Info

10pcs / inner caton 50pcs / outer caton



9.5W LED A19 Dedicated Bulb for Downlight



- Custom designed for recessed downlight
- Providing unique uniform illumination
- Widely used in shops, offices and homes
- Easy retrofit and low maintenance cost

Model	Wattage	Beam Angle	Lumens	Efficacy	CRI	CCT	Base	Life	Dimmable
SXA095A12-0201	9.5W	130°	770lm	81	90	2700K	E26 / E27	25000h	Yes
SXA095A12-0202	9.5W	130°	810lm	85	80	3000K	E26 / E27	25000h	Yes
SXA095A12-0203	9.5W	130°	970lm	102	70	5000K	E26 / E27	25000h	Yes



Replaces 60W



Dimmable



Energy Saving





Open Lamps



No UV/IR Radiation



Life 25,000 hrs



Packing Info


10pcs / inner caton 60pcs / outer caton



Lighting in 2.5" Downlight-cup



Warm / Cool White



6W LED P45

- Providing unique uniform illumination
- Energy saving up to 85%, PF>0.92
- Smooth dimming with regular dimmers
- Easy retrofit and low maintain cost
- Mercury free, no UV no radiation
- Ideal for hotel and residential applications



Model	Wattage	Beam Angle	Lumens	Efficacy	CRI	CCT	Base	Life	Dimmable
SXD060A12-0001	6W	130°	250lm	42	80	2700K	E14/E27/E26/E25	25000h	Yes
SXD060A12-0002	6W	130°	300lm	50	80	3000K	E14/E27/E26/E25	25000h	Yes
SXD060A12-0003	6W	130°	400lm	67	80	5000K	E14/E27/E26/E25	25000h	Yes



Dimmable



Energy Saving




Open Lamps



No UV/IR Radiation



Life 25,000 hrs



Packing Info

10pcs / inner carton 60pcs / outer carton



12W LED A19

- Empowered by the PowerXplore™ technology perfectly engines mainstream LED chips
- Energy saving up to 85%, PF>0.92
- Mercury free, no UV no radiation
- Smooth dimming with regular dimmers
- Life warranty - 25,000hrs at L70



Model	Wattage	Beam Angle	Lumens	Efficacy	CRI	CCT	Base	Life	Dimmable
SXA120A12-0005	12W	250°	1100lm	92	80	3000K	E26 / E27	25000h	Yes
SXA120A12-0006	12W	250°	1200lm	100	70	5000K	E26 / E27	25000h	Yes



Replaces 75W



Dimmable



Energy Saving





Open Lamps



No UV/IR Radiation




Life 25,000 hrs



Packing Info

10pcs / inner carton 40pcs / outer carton



LED Desk Lamp-Classic Style

- Higher brightness and lower electric cost than the fluorescent bulbs
- Ingenious technology with 3-stage lighting control system
- No flickering and eyesight protection
- Consistent and even light distribution
- 3 years life warranty

Model	Wattage	Beam Angel	Lumens	CRI	CCT	Life	Dimmable
STL120AXU-0001	12W	105°	Tpy1000Lux@40cm Distance	>90	2700~5500K	25000h	0~100% Dim





Dimmable



Energy Saving



No UV/IR Radiation



Packing Info

1pcs / outer carton

ON / OFF
Touch switchDimming
SlideColorfader
Slide

LED Desk Lamp-Yuhu Chun

- Higher brightness and lower electric cost than the fluorescent bulbs
- Ingenious technology with 3-stage lighting control system
- No flickering and eyesight protection
- Consistent and even light distribution
- 3 years life warranty

Model	Wattage	Beam Angel	Lumens	CRI	CCT	Life	Dimmable
STL120AXU-0004	12W	105°	Tpy1000Lux@40cm Distance	>90	2700~5500K	25000h	0~100% Dim




Dimmable



Energy Saving



No UV/IR Radiation



Packing Info

1pcs / outer carton



Bedroom

Relax after a busy day.



Living room

Get close in cozy and comfortable light.




Kitchen

Crisp and bright light makes the kitchen an ideal place to connect with family.



Dining room

Bright and high color rendering light makes food looks much appetizing.



Study

Peaceful pondering in noise-free atmosphere.

BENEFITS

- Comfortable and relaxing lighting
- Sustainable environment
- Less energy, >50% energy savings
- Eliminated inconvenience of replacing lamps
- Last longer and mercury free, 25000hrs @ L70

HOME

LIGHTING SOLUTION

OFFICE

LIGHTING
SOLUTION

15-18 LED LINEAR TUBE
SERIES





10W T8 LED Linear Tube - EPS


- Appearance resembles the traditional fluorescent T8 tubes, appealing to customers' desire
- 360 degree full directional illumination perfectly fits traditional luminaries better than any other competitors'
- External power supply gains more reliability and sustainability
- Less metal usage in structure optimizes the competitiveness on cost



Model	Wattage	Beam Angle	Lumens	Efficacy	CRI	CCT	Base	Life	Dimmable
SXT100D48-0017	10W	160°	800lm	80	80	3000K	G13	25000h	No
SXT100D48-0015	10W	160°	850lm	85	80	4000K	G13	25000h	No
SXT100D48-0023	10W	160°	850lm	85	80	5000K	G13	25000h	No
SXT100D48-0005	10W	160°	900lm	90	70	6000K	G13	25000h	No



Packing Info
25pcs / outer carton





20W T8 LED Linear Tube - EPS

- Appearance resembles the traditional fluorescent T8 tubes, appealing to customers' desire
- 360 degree full directional illumination perfectly fits traditional luminaries better than any other competitors'
- External power supply gains more reliability and sustainability
- Less metal usage in structure optimizes the competitiveness on cost



Model	Wattage	Beam Angle	Lumens	Efficacy	CRI	CCT	Base	Life	Dimmable
SXT200D48-0018	20W	160°	1600lm	80	80	3000K	G13	25000h	No
SXT200D48-0014	20W	160°	1700lm	85	80	4000K	G13	25000h	No
SXT200D48-0024	20W	160°	1700lm	85	80	5000K	G13	25000h	No
SXT200D48-0006	20W	160°	1800lm	90	70	6000K	G13	25000h	No



Packing Info
25pcs / outer carton





10W T8 LED Linear Tube - IPS

- Empowered by the PowerXplore™ technology achieves high efficacy and long reliability
- Revolutionary Built-in power supply with no compromise on stability and life warranty
- Innovative aluminum housing, superior thermal management
- Flicker-free and instant ON with no need to warm up



Model	Wattage	Beam Angle	Lumens	Efficacy	CRI	CCT	Base	Life	Dimmable
SXT100A12-0001	10W	130°	900lm	90	70	6000K	G13	25000h	No





Energy Saving



No UV/IR Radiation



Life 25,000 hrs



Packing Info

10pcs / inner carton

60pcs / outer carton



20W T8 LED Linear Tube - IPS

- Empowered by the PowerXplore™ technology achieves high efficacy and long reliability
- Revolutionary Built-in power supply with no compromise on stability and life warranty
- Innovative aluminum housing, superior thermal management
- Flicker-free and instant ON with no need to warm up



Model	Wattage	Beam Angle	Lumens	Efficacy	CRI	CCT	Base	Life	Dimmable
SXT200A12-0003	20W	130°	1800lm	90	70	6000K	G13	25000h	No





Energy Saving



No UV/IR Radiation



Life 25,000 hrs



Packing Info

10pcs / inner carton

60pcs / outer carton




Corner office

Unique lighting solutions with a feel good atmosphere.



Lounge

Trendsetting and pioneering for a great first impression.



Conference room

For focused concentration and collaboration.



Working Area

Productivity enhanced with inspirational lighting.

BENEFITS

- Bring countless benefits to businesses, >50% energy savings
- Improve the visual quality of business premises
- Enhance employee efficiency, productivity and sense of well-being
- Payback: Circa 2 years
- Last longer and mercury free, 25000hrs @ L70

OFFICE
LIGHTING
SOLUTION

RETAIL

LIGHTING
SOLUTION



23 - 24 LED DOWNLIGHT
SERIES

25 LED TRACK LIGHT

26 - 27 LED MR16
SERIES

28 LED GU10







13.5W-4" LED Downlight

- Ideal for residential and commercial applications
- Energy saving up to 85%
- Slim and integrated design
- Anti glare
- Better thermal properties for delicate structures
- Smoother and more uniform optics
- Mercury free, no UV no radiation

Model	Wattage	Beam Angle	Lumens	Efficacy	CRI	CCT	Base	Life	Dimmable
SDL135A12-0007	13.5W	82°	750lm	56	85	2700K	N/A	25000h	No
SDL135A12-0008	13.5W	82°	800lm	59	85	3000K	N/A	25000h	No
SDL135A12-0009	13.5W	82°	950lm	70	80	5000K	N/A	25000h	No





Packing Info
5pcs inner cation 50pcs / outer cation




19.5W-6" LED Downlight

- Ideal for residential and commercial applications
- Energy saving up to 85%
- Slim and integrated design
- Anti glare
- Better thermal properties for delicate structures
- Smoother and more uniform optics
- Mercury free, no UV no radiation

Model	Wattage	Beam Angle	Lumens	Efficacy	CRI	CCT	Base	Life	Dimmable
SDL195A12-0010	19.5W	82°	1200lm	62	85	2700K	N/A	25000h	No
SDL195A12-0011	19.5W	82°	1200lm	62	85	3000K	N/A	25000h	No
SDL195A12-0012	19.5W	82°	1500lm	77	80	5000K	N/A	25000h	No



Packing Info
3pcs inner cation 30pcs / outer cation





10W LED Track Light

- Empowered by the PowerXplore™ technology perfectly engines mainstream LED chips
- Thin & light design achieves high performance and low cost
- Energy saving up to 85%, PF>0.92
- Mercury free, no UV no radiation
- Innovative design for flexible commercial applications
- Higher brightness ideal for commercial applications

Model	Wattage	Beam Angle	Lumens	Efficacy	CRI	CCT	Base	Life	Dimmable
SXS010A12-0010	10W	25° / 40°	600lm	60	90	2700K	N/A	25000h	Yes
SXS010A12-0009	10W	25° / 40°	700lm	70	80	3000K	N/A	25000h	Yes



Dimmable



Energy Saving





Open Lamps



No UV/IR Radiation





Life 25,000 hrs



Packing Info

10pcs inner caton 100pcs / outer caton



5.5W LED MR16

- Universally compatible with all existing transformers
- 35W equivalent halogen performance
- CBCP matches standard halogen lamps
- Life warranty-25,000hrs at L70

Model	Wattage	Beam Angle	Lumens	Efficacy	CRI	CCT	Base	Life	Dimmable
SXS055D12-0028	5.5W	25°	300lm	55	80	2700K	GU5.3	25000h	No
SXS055D12-0029	5.5W	36°	300lm	55	80	2700K	GU5.3	25000h	No
SXS055D12-0007	5.5W	25°	350lm	64	80	3000K	GU5.3	25000h	No
SXS055D12-0008	5.5W	36°	350lm	64	80	3000K	GU5.3	25000h	No



Energy Saving





Open Lamps



No UV/IR Radiation



Life 25,000 hrs



Packing Info

10pcs inner caton 100pcs / outer caton





7W LED MR16

- Universally compatible with all existing transformers
- 40W equivalent halogen performance
- CBCP matches standard halogen lamps
- Life warranty-25,000hrs at L70



Model	Wattage	Beam Angle	Lumens	Efficacy	CRI	CCT	Base	Life	Dimmable
SXS070D12-0001	7W	25°	400lm	57	80	2700K	GU5.3	25000h	Yes
SXS070D12-0002	7W	36°	400lm	57	80	2700K	GU5.3	25000h	Yes
SXS070D12-0003	7W	25°	450lm	64	80	3000K	GU5.3	25000h	Yes
SXS070D12-0004	7W	36°	450lm	64	80	3000K	GU5.3	25000h	Yes



Packing Info

10pcs inner caton 100pcs / outer caton



Dimmable



Energy Saving



Open Lamps



No UV/IR Radiation



Life 25,000 hrs





7W LED GU10

- 40W equivalent halogen performance
- CBCP matches standard halogen lamps
- Life warranty-25,000hrs at L70



Model	Wattage	Beam Angle	Lumens	Efficacy	CRI	CCT	Base	Life	Dimmable
SXS070A12-0001	7W	25°	400lm	57	80	2700K	GU10	25000h	Yes
SXS070A12-0002	7W	36°	400lm	57	80	2700K	GU10	25000h	Yes
SXS070A12-0003	7W	25°	450lm	64	80	3000K	GU10	25000h	Yes
SXS070A12-0004	7W	36°	450lm	64	80	3000K	GU10	25000h	Yes



Packing Info

10pcs inner caton 100pcs / outer caton



Dimmable



Energy Saving



Open Lamps



No UV/IR Radiation



Life 25,000 hrs

**Coffee Bar**

Natural and flattering in every corner.

**Shopping Mall**

Guiding and intriguing.

**Shop Windows**

Eye catching light and merchandise products in the best light.

**Jewelry Counter**

Spotlight and advertise with focused and inviting lights.

BENEFITS

- Highlight the tiniest details in textures and colors
- Provide a wide range of lighting that contributes to the overall shopping experience
- Brings countless benefits to businesses, >50% energy savings
- Last longer and mercury free, 25000hrs @L70
- Sustainable environment

RETAIL

LIGHTING

SOLUTION

HOTEL


LIGHTING
SOLUTION

33-34 LED PAR LAMP
SERIES

35-36 LED BR LAMP
SERIES

37 GRILLE SPOTLIGHT

38 CEILING LAMP



6W LED Par20

- Ideal replacement for numerous applications with traditional Par lamp
- Empowered by the PowerXplore™ technology perfectly engines mainstream LED chips
- Smoother and more uniform optics
- Slim and integrated design
- Better thermal properties for delicate structures

Model	Wattage	Beam Angle	Lumens	Efficacy	CRI	CCT	Base	Life	Dimmable
SXP060A12-0001	6W	25°	300lm	50	85	2700K	E26 / E27	25000h	Yes
SXP060A12-0002	6W	36°	300lm	50	85	2700K	E26 / E27	25000h	Yes
SXP060A12-0003	6W	25°	350lm	58	85	3000K	E26 / E27	25000h	Yes
SXP060A12-0004	6W	36°	350lm	58	85	3000K	E26 / E27	25000h	Yes



Dimmable



Energy Saving




Open Lamps



No UV/IR Radiation



Life 25,000 hrs



Packing Info

5pcs / inner caton 50pcs / outer caton



12W LED Par30-S

- Ideal replacement for numerous applications with traditional Par lamp
- Empowered by the PowerXplore™ technology perfectly engines mainstream LED chips
- Smoother and more uniform optics
- Slim and integrated design
- Better thermal properties for delicate structures

Model	Wattage	Beam Angle	Lumens	Efficacy	CRI	CCT	Base	Life	Dimmable
SXP120A12-0005	12W	25°	760lm	63	85	2700K	E26 / E27	25000h	Yes
SXP120A12-0006	12W	36°	760lm	63	85	2700K	E26 / E27	25000h	Yes
SXP120A12-0007	12W	25°	800lm	67	85	3000K	E26 / E27	25000h	Yes
SXP120A12-0008	12W	36°	800lm	67	85	3000K	E26 / E27	25000h	Yes



Dimmable



Energy Saving




Open Lamps



No UV/IR Radiation



Life 25,000 hrs



Packing Info

5pcs / inner caton 50pcs / outer caton







12W LED Par30

- Ideal replacement for numerous applications with traditional Par lamps
- Empowered by the PowerXplore™ technology perfectly engines mainstream LED chips
- Smoother and more uniform optics
- Slim and integrated design
- Better thermal properties for delicate structures

Model	Wattage	Beam Angle	Lumens	Efficacy	CRI	CCT	Base	Life	Dimmable
SXP120A12-0001	12W	25°	760lm	63	85	2700K	E26 / E27	25000h	Yes
SXP120A12-0002	12W	36°	760lm	63	85	2700K	E26 / E27	25000h	Yes
SXP120A12-0003	12W	25°	800lm	67	85	3000K	E26 / E27	25000h	Yes
SXP120A12-0004	12W	36°	800lm	67	85	3000K	E26 / E27	25000h	Yes



Packing Info

5pcs / inner caton 50pcs / outer caton



Dimmable



Energy Saving




Open Lamps



No UV/IR Radiation





Life 25,000 hrs



15W LED Par38

- Ideal replacement for numerous applications with traditional Par lamps
- Empowered by the PowerXplore™ technology perfectly engines mainstream LED chips
- Smoother and more uniform optics
- Slim and integrated design
- Better thermal properties for delicate structures

Model	Wattage	Beam Angle	Lumens	Efficacy	CRI	CCT	Base	Life	Dimmable
SXP150A12-0042	15W	25°	950lm	63	85	2700K	E26 / E27	25000h	Yes
SXP150A12-0043	15W	36°	950lm	63	85	2700K	E26 / E27	25000h	Yes
SXP150A12-0044	15W	25°	1000lm	67	85	3000K	E26 / E27	25000h	Yes
SXP150A12-0045	15W	36°	1000lm	67	85	3000K	E26 / E27	25000h	Yes



Packing Info

5pcs / inner caton 50pcs / outer caton



Dimmable



Energy Saving



Open Lamps



No UV/IR Radiation



Life 25,000 hrs





12W LED BR30

- Floodlighting
- Empowered by the PowerXplore™ technology perfectly engines mainstream LED chips
- Smoother and more uniform optics
- Slim and integrated design
- Better thermal properties for delicate structures

Model	Wattage	Beam Angle	Lumens	Efficacy	CRI	CCT	Base	Life	Dimmable
SXB120A12-0001	12W	115°	760lm	63	85	2700K	E26 / GU24	25000h	Yes
SXB120A12-0002	12W	115°	800lm	67	85	3000K	E26 / GU24	25000h	Yes



Dimmable



Energy Saving




Open Lamps



No UV/IR Radiation



Life 25,000 hrs



Packing Info

5pcs / inner caton 50pcs / outer caton



15W LED BR40

- Floodlighting
- Empowered by the PowerXplore™ technology perfectly engines mainstream LED chips
- Smoother and more uniform optics
- Slim and integrated design
- Better thermal properties for delicate structures

Model	Wattage	Beam Angle	Lumens	Efficacy	CRI	CCT	Base	Life	Dimmable
SXB150A12-0001	15W	115°	950lm	63	85	2700K	E26 / GU24	25000h	Yes
SXB150A12-0002	15W	115°	1000lm	67	85	3000K	E26 / GU24	25000h	Yes



Dimmable



Energy Saving




Open Lamps



No UV/IR Radiation



Life 25,000 hrs



Packing Info

5pcs / inner caton 50pcs / outer caton





LED GRILLE SPOTLIGHT



- Empowered by the PowerXplore™ technology perfectly engines mainstream LED chips
- Thin & light design achieves high performance and low cost
- Energy saving up to 85%, PF>0.92
- Mercury free, no UV no radiation
- Innovative design for flexible commercial applications
- Higher brightness ideal for commercial applications



Model	Wattage	Beam Angle	Lumens	Efficacy	CRI	CCT	Base	Life	Dimmable
SXS010A12-0004	10W * 1	25° / 40°	600lm	60	90	2700K	N/A	25000h	Yes
SXS010A12-0005	10W * 2	25° / 40°	1200lm	60	90	2700K	N/A	25000h	Yes
SXS010A12-0006	10W * 3	25° / 40°	1800lm	60	90	2700K	N/A	25000h	Yes
SXS010A12-0001	10W * 1	25° / 40°	700lm	70	80	3000K	N/A	25000h	Yes
SXS010A12-0002	10W * 2	25° / 40°	1400lm	70	80	3000K	N/A	25000h	Yes
SXS010A12-0003	10W * 3	25° / 40°	2100lm	70	80	3000K	N/A	25000h	Yes



Packing Info
5pcs / inner caton





LED Ceiling Lamp

- Empowered by the PowerXplore™ technology perfectly engines mainstream LED chips
- Thin & light design achieves high performance and low cost
- Energy saving up to 85%, PF>0.92
- Mercury free, no UV no radiation
- Innovative design for flexible commercial applications
- Higher brightness ideal for commercial applications



Model	Wattage	Beam Angle	Lumens	Efficacy	CRI	CCT	Base	Life	Dimmable
SXS010A12-0008	10W	25° / 40°	600lm	60	90	2700K	N/A	25000h	Yes
SXS010A12-0007	10W	25° / 40°	700lm	70	80	3000K	N/A	25000h	Yes



Packing Info
5pcs / inner caton



Reception

Create a friendly and hospitable atmosphere at the front desk.



Accent wall lighting

Inviting and focused light to show off the luxury environment.

BENEFITS

- Brings countless benefits to businesses, >50% energy savings
- Create a comfortable and safe ambience for guests
- Reduce energy and maintenance costs without compromising on light quality or ambience
- Last longer and mercury free, 25000hrs@L70
- Sustainable environment



Restaurant

Dynamic and tasteful feeling in the culinary setting.



Lobby

Flexible and inviting in gorgeous and relaxing light.

HOTEL
LIGHTING
SOLUTION

SMART LIGHTING



SunSun Lighting products

Compatible with universal
LED lighting products

SunSun controller

- No rewiring and easy to replace
- Local and remote control
- Flexible dimming

Smart control

Available on PC, tablets
and smart phones



MANUAL CONTROLLER

